INTERNATIONAL JOURNAL OF OPTOELECTRONICS, 1994, VOL. 8, NOS. 5/6, 755–760.

INDEX OF AUTHORS (WITH TITLES)

VOLUME 8

Albrecht, H.-S., Heist, P., Lap, D. V., Schröder, T., and Wilhelmi, B.: Ultrafast modulation of light by light 605
Amada, E., *see* Takahashi, Y.
Ando, K., *see* Takahashi, Y.
Antrack, T., *see* Bartzke, K.
Archana Rao, M., *see* Jhunjhunwala, A.
Arora, B. M., *see* Srivastava, A. K.
Arora, B. M., Srivastava, A. K., Banerjee, S., and Shah, A.: Growth of InGaAs/InP for long-wavelength photodetectors by low-pressure metallorganic vapour phase epitaxy 437
Bakalidis, G. N., Georgoulas, N. A., Karafolas, N. J., and Georgopoulos, C. J.: Design, construction and experimental verification of a fibre optic sensor based on microbending loss mechanism 187
Balasubramanian, R., and Selvarajan, A.: Coupled-mode analysis of three-wave mixing process in crystal cored fibres 385
Baldini, F., *see* Scheggi, A. M.
Bandyopadhyay, A., *see* Banerjee, S.
Banerjee, S., *see* Arora, B. M.
Banerjee, S., Srivastava, A. K., and Bandyopadhyay, A.: Excess transverse magnetic component in quantum well lasers 425
Bartzke, K., Antrack, T., Schmidt, K.-H., Dammann, E., and Schatterny, Ch.: The needle sensor—a micromechanical detector for atomic force microscopy 669
Bauer, J., Dammann, E., Fritsch, E., and Rasch, A.: Integrated optical three-beam-interferometer for displacement measurements 547
Bergner, H., *see* Müller, M.
Bräuer, A., *see* Waldhäusl, R.
Brennan, T. M., *see* Rahman, H. U.
Briancon, J., *see* Rao, Y. J.
Brückner, V., *see* Kramer, M.
Caroubalos, C., *see* Sphicopoulos, T.
Carroll, J. E., *see* Zhang, L. M.
Chen, Y. K., *see* Liaw, J. W.
Ching-Ting, L., *see* Jiunn-Chyi, L.
Chour, M., *see* Müller, J.
Churenkov, A. V.: Self-excitation of microresonators 99
Čiplys, D., *see* Rimeika, R.
Culshaw, B., *see* Jin, W.
Culshaw, B., *see* Rao, Y. J.
Dammann, E., *see* Bartzke, K.
Dammann, E., *see* Bauer, J.
Dannberg, P., *see* Waldhäusl, R.
Datta, D.: Analysis of a new technique for optical DPSK transmission without external phase modulator 451
Dhananjay, P., *see* Mathur, P.
Dilwali, S., *see* Soundra Pandian, G.
Docchio, F., *see* Sansoni, G.
Dultz, W., *see* Reichel, V.
Ecke, W., Landrock, R., Tschernjavskij, V., and Willsch, R.: A novel phase

shift demodulation technique for optical interferometers using interference pattern generation 635
Eftimov, T., and Hitchen, P.: Resultant numerical aperture of microlens-ended optical fibres 123
Falk, J., *see* Rahman, H. U.
Feller, K.-H., Gadonas, R., Krasauskas, V., and Pugžlys, A.: Time-resolved absorption spectroscopy of polymethine dyes in Langmuir–Blodgett films 677
Fritsch, E., *see* Bauer, J.
Fujimura, M., Suhara, T., and Nishihara, H.: Integrated acousto-optic correlator using a biaxial focusing grating coupler 7
Gadonas, R., *see* Feller, K.-H.
Gangopadhyay, R., and Mazumder, S. P.: Performance analysis of MSK–FM hybrid scheme in optical communication 459
Georgopoulos, C. J., and Soultanidis, S. H.: Design of Manchester-PCM/ demodulation circuitry for in-house wireless infrared communication system 39
Georgopolous, C. J., *see* Bakalidis, G. N.
Georgopoulos, P.: Proposed calculation of distance safety limits in a wireless infrared system for indoor applications 171
Georgoulas, N. A., *see* Bakalidis, G. N.
Ghadirli, S., *see* Kumar, A.
Ghatak, A. K., *see* Kumar, A.
Ghatak, A., and Kumar, A.: Dispersion and nonlinear effects in optical fibres. A pedagogical account 299
Goldman, A. S., *see* Liu, J.
Gonsalves, T. A., *see* Jhunjhunwala, A.
Göring, R., *see* Kley, E. -B.
Görlich, S., Möhr, K., Klose, N., Pfeifer, P., Voigt, P., and Wieser, J.: Investigations of an applanation tonometer with an integrated optical waveguide 555
Goyal, R., *see* Gupta, B. D.
Guo, W. Y., *see* Liaw, J. W.
Gupta, B. D., Sharma, A., and Goyal, R.: Optical fibre temperature sensor based on liquid crystals 13
Gupta, B. D., Sharma, A., and Singh, C. D.: Evanescent wave absorption sensors based on uniform and tapered fibres. A comparative study of their sensitivities 409
Gupta, N., Sharma, E. K. and Singh, M. P.: Coupling characteristics of a polarization splitting directional coupler 351
Hale, Z. M., *see* Payne, F. P.
Hamidi, S., *see* Simeonidou, D.
Hammons, B. E., *see* Rahman, H. U.
Heist, P., *see* Albrecht, H.-S.
Hirsch, H., Peier, D., and Stietzel, U.: Magneto-optic current sensor using a double twist fibre 737
Hitchen, P., *see* Eftimov, T.
Höfer, B., *see* Reichel, V.
Inoue, H., *see* Takahashi, Y.
Ionescu, L. I. Gh., *see* Podoleanu, A. Gh.
Isbert, J., *see* Perraud, E.
Israelyan, V. G., *see* Schröter, S.
Jetschke, S., *see* Röpke, U.
Jhunjhunwala, A., Archana Rao, M., Murugesh, B., Gonsalves, T. A., and Ramamurthi, B.: A reliable fibre-optic ring network for process control, 477
Jin, W., Uttamchandani, D., and Culshaw, B.: Dynamic phase measurement over a large dynamic range in a fibre optic Sagnac interferometer . . 57
Jiunn-Chyi, L., and Ching-Ting, L.: Coupling improvement of buried circular-like Ti/Mg:$LiNbO_3$ channel waveguide with single mode fibre by index profile control 237
Karafolas, N. J., *see* Bakalidis, G. N.

Karthe, W., *see* Waldhäusl, R.
Karulkar, V. T., *see* Srivastava, A. K.
Kiessling, A., and Wenke, L.: Real-time holographic interferometry using degenerated four-wave mixing in $Bi_{12}TiO_{20}$ 617
Kinoshita, T., *see* Takahashi, Y.
Kley, E.-B., Possner, T., and Göring, R.: Realization of micro-optic and integrated optic components by electron-beam-lithographic surface profiling and ion exchange in glass 513
Kley, E.-B., *see* Waldhäusl, R.
Klose, N., *see* Görlich, S.
Kramer, M., Brückner, V., and Shatkovski, E.: *Q*-switch and multipass amplification in a pulsed YAG laser using phase conjugation by stimulated Brillouin scattering 629
Krasauskas, V., *see* Feller, K.-H.
Kuchta, A. W., *see* Schröter, S.
Kumar, A., and Ghatak, A. K.: Space-time and gauge symmetry and solitons in optical fibres 399
Kumar, A., *see* Ghatak, A.
Kumar, A., Varshney, R. K., and Ghadirli, S.: Highly selective LP_{01} mode coupler/filter for dual mode elliptical core fibres 375
Landrock, R., *see* Ecke, W.
Langer, D. W., *see* Rahman, H. U.
Lap, D. V., *see* Albrecht, H.-S.
Lardner, K., *see* Ruddy, V.
Lederer, F., *see* Muschall, R.
Liaw, J. W., Chen, Y. K., and Guo, W. Y.: Configuration and characteristics of distributed reflective optical active star couplers 21
Liou, J. J.: Detailed analysis of V-groove front surfaces for solar cells . . 109
Liu, J., Shahriari, M. R., Sigel, G. H., and Goldman, A. S.: Fibre optic pH sensor based on a chemically modified porous polymer film immobilized with colorimetric indicator 193
López-Amo, M., López-Higuera, J. M., and Muriel, M. A.: An electro-optically tunable filter for wavelength demultiplexing 1
López-Higuera, J. M., *see* López-Amo, M.
Madan, N., *see* Mathur, P.
Mahalakshmi, V., *see* Thyagarajan, K.
Manna, D., *see* Mathur, P.
Masalkar, P. J., Venkateswara Rao, V., and Sirohi, R. S.: Performance simulation of ion-exchange waveguides 333
Mathur, A., *see* Mathur, P.
Mathur, P., Mathur, A., Dhananjay, P., Srivastava, A., Madan, N., and Manna, D.: Design and development of high speed optical interface for synchronous optical networks 465
Mazumder, S. P., *see* Gangopadhyay, R.
Minoni, U., *see* Sansoni, G.
Miyagi, M., *see* Takahashi, Y.
Möhr, K., *see* Görlich, S.
Müller, J., and Chour, M.: Two-frequency laser interferometric path measuring system for extreme velocities and high accuracies 647
Müller, M., Ponath, H.-E., and Bergner, H.: Peripheral photoresponse of a p–n junction 247
Muntean, I. L., *see* Podoleanu, A. Gh.
Muriel, M. A., *see* López-Amo, M.
Murugesh, B., *see* Jhunjhunwala, A.
Muschall, R., Lederer, F., and Trutschel, U.: New ARROW couplers and switches with significantly reduced coupling length 537
Myres, D. R., *see* Rahman, H. U.
Naik, G. M., *see* Uchil, S.
Nakwaski,W., *see* Sarzała, R. P.
Nampoori, V. P. N., *see* Philip, A.

Nishihara, H., *se* Fujimura, M.
Orfanos, I., *see* Sphicopoulos, T.
Park, S. H., *see* Rahman, H. U.
Payne, F. P. and Hale, Z. M.: Deviation from Beer's law in multimode optical fibre evanescent field sensors 743
Peier, D., *see* Hirsch, H.
Perraud, E., and Isbert, J.: Two new concepts for design of time division multiplexed sensors. The two wavelength time division multiplexing and the selective addressing 207
Pfeifer, P., *see* Görlich, S.
Phani Bhushan, K., *see* Uchil, S.
Philip, A., Radhakrishnan, P., Nampoori, V. P. N., and Vallabhan, C. P. G.: Photoacoustic study of periodic dielectric multilayer stack 493
Philip, A., Radhakrishnan, P., Nampoori, V. P. N., and Vallabhan, C. P. G.: Photoacoustic study on bleaching of cresyl violet in polyvinyl alcohol by laser light 501
Podoleanu, A. Gh., Muntean, I. L., and Ionescu, L. I. Gh.: Optical to radio frequency converter using tunable directional coupler filter with electronic feedback 267
Ponath, H.-E., *see* Müller, M.
Poole, S., *see* Wong, D.
Pospíšilová, M., and Schneiderová, M.: Determination of the spot size for real single mode fibres by far field pattern technique 33
Possner, T., *see* Kley, E.-B.
Pugžlys, A., *see* Feller, K.-H.
Purandare, S. C., *see* Srivastava, A. K.
Radhakrishnan, P., *see* Philip, A.
Rahman, H. U., Langer, D. W., Falk, J., Park, S. H., Warren, M. E., Myres, D. R., Brennan, T. M., and Hammons, B. E.: Measurement of electric field dependant refractive index variations in GaAs/AlGaAs quantum well waveguides 259
Ramamurthi, B., *see* Jhunjhunwala, A.
Ranganathan, D.: Crystal violet doped gelatin. A strongly bistable material at 803 nM 505
Rao, Y. J., Uttamchandani, D., Culshaw, B., Steer, P., and Briancon, J.: Passive multiplexing of silicon microresonator sensors of identical characteristics using a high speed fibre optic TDM system 77
Rasch, A., *see* Bauer, J.
Reichel, V., Höfer, B., Vobian, J., and Dultz, W.: All-fibre optical Solc and Lyot filters 587
Rimeika, R., and Čiplys, D.: Probing of integrated optical waveguides by thermal pulses, ... 229
Rizhikov, I., and Svechnikov, G.: A physical model of $GaAs_{0.6}P_{0.4}$ p–n junction irradiated by fast electrons 67
Röpke, U., and Jetschke, S.: Measurement of the birefringence in optical fibres by an elasto-optic method, ... 595
Röpke, U., Vobian, J., and Jetschke, S.: Study of phase and group index differences in polarization maintaining single-mode fibres 579
Rothe, H., and Truckenbrodt, H.: Laser triangulation near the diffraction limit 655
Roy, S., and Subramaniam, P. C.: TE-polarized surface plasmon polaritons in metal films bounded by fifth-order nonlinear dielectric media 363
Ruddy, V., and Lardner, K.: Porous clad fibres as sensor probes, ... 87
Sansoni, G., Docchio, F., Minoni, U., and Viviani, N.: Characterization of commercial liquid crystal displays for adaptive pattern projection in industrial profilometry. Temporal, spatial, and temperature-dependent properties 685
Sarzała, R. P., and Nakwaski, W.: Thermal properties of buried-heterostructure diode lasers 705
Sarzała, R. P.: Two-dimensional thermal analysis of oxide-isolated-stripe diode lasers with application of the finite-element method 105

Schatterny, Ch., *see* Bartzke, K.
Scheggi, A. M., and Baldini, F.: Chemical sensing with optical fibres . . . 133
Schmidt, K.-H., *see* Bartzke, K.
Schneiderová, M., *see* Pospíšilová, M.
Schröder, T., *see* Albrecht, H.-S.
Schröter, S., Willsch, R., Israelyan, V. G., and Kuchta, A. W.: Bias stability of interferometric all-fibre gyroscopes with highly polarizing and depolarizing components 563
Selvarajan, A., *see* Balasubramanian, R.
Selvarajan, A., *see* Uchil, S.
Shah, A., *see* Arora, B. M.
Shahriari, M. R., *see* Liu, J.
Sharma, A., *see* Gupta, B. D.
Sharma, E. K., *see* Gupta, N.
Sharma, E. K., *see* Singh, M. P.
Shatkovski, E., *see* Kramer, M.
Shenoy, M. R., *see* Thyagarajan, K.
Siddiqui, A. S., *see* Simeonidou, D.
Sigel, G. H., *see* Liu, J.
Simeonidou, D., Hamidi, S., and Siddiqui, A. S.: Theoretical and experimental study of a new delayed self-homodyne technique for laser spectral linewidth measurement 727
Singh, C. D., *see* Gupta, B. D.
Singh, M. P., and Sharma, E. K.: Analysis of leaky modes in ARROW structures by a simple numerical method 341
Singh, M. P., *see* Gupta, N.
Sirohi, R. S., *see* Masalkar, P. J.
Soultanidis, S. H., *see* Georgopoulous, C. J.
Soundra Pandian, G., and Dilwali, S.: On the equalization of FM response of laser diodes 443
Sphicopoulos, T., Orfanos, I., Tsigopoulos, A., and Caroubalos, C.: Wavelength tuning analysis in three-electrode DFB lasers 49
Srivastava, A. K., Purandare, S. C., Karulkar, V. T., and Arora, B. M: Gain mechanism in GaAs metal–semiconductor–metal photodetectors . . . 431
Srivastava, A. K., *see* Arora, B. M.
Srivastava, A. K., *see* Banerjee, S.
Srivastava, A., *see* Mathur, P.
Steer, P., *see* Rao, Y. J.
Stietzel, U., *see* Hirsch, H.
Subramaniam, P. C., *see* Roy, S.
Suhara, T., *see* Fujimura, M.
Svechnikov, G., *see* Rizhikov, I.
Takashashi, Y., Ando, K., Kinoshita, T., Inoue, H., Miyagi, M., and Amada, E.: An experiment on photonic ATM switching system using coded HDTV signals 157
Thyagarajan, K., Mahalakshmi, V., and Shenoy, M. R.: Performance comparison of different configurations for second harmonic generation in planar waveguides 319
Truckenbrodt, H., *see* Rothe, H.
Trutschel, U., *see* Muschall, R.
Tschernjavskij, V., *see* Ecke, W.
Tsigopoulos, A., *see* Sphicopoulos, T.
Uchil, S., Phani Bhushan, K., Naik, G. M., and Selvarajan, A.: A flexural push–pull fibre-optic hydrophone incorporating acceleration cancelling and feedback stabilization 419
Uttamchandani, D., *see* Jin, W.
Uttamchandani, D., *see* Rao Y. J.
Vallabhan, C. P. G., *see* Philip, A.
Varshney, R. K., *see* Kumar, A.
Venkateswara Rao, V., *see* Masalkar, P. J.

Viviani, N., *see* Sansoni, G.
Vobian, J., *see* Reichel, V.
Vobian, J., *see* Röpke, U.
Voigt, P., *see* Görlich, S.
Waldhäusl, R., Dannberg, P., Kley, E.-B., Bräuer, A., and Karthe, W.: Highly efficient blazed grating couplers in planar polymer waveguides . . . 529
Warren, M. E., *see* Rahman, H. U.
Wenke, L., *see* Kiessling, A.
Whiteaway, J. E. A., *see* Zhang, L. M.
Wieser, J., *see* Görlich, S.
Wilhelmi, B., *see* Albrecht, H.-S.
Willsch, R., *see* Ecke, W.
Willsch, R., *see* Schröter, S.
Wong, D., and Poole, S.: Temperature-independent birefringent fibres . . 179
Wu, J.: 1·3 μm infrared laser non-invasive probe of silicon integrated circuits 221
Zhang, L. M., Carroll, J. E., and Whiteaway, J. E. A.: Dynamics and hole burning in uniform DFB semiconductor lasers 279